



ROCKET®

ESPRESSO MILANO





ROCKET ESPRESSO

Rocket Espresso produces the finest espresso machines in the tradition of 'Fatto a Mano' in Italy.

Our small team of craftsmen produce both premium domestic and commercial espresso machines, beautifully made with meticulous care and attention to detail.

More importantly, Rocket Espresso machines will deliver the finest espresso in the cup, time after time, with every model designed to meet the needs of today's most exacting espresso customer.



SOTTO BANCO

fully saturated group // under counter machine





Sotto Banco fully saturated group // under counter machine

GROUPS	2	3
HOT WATER SPOUT	1	2
TECHNOLOGY	Multi Boiler	Multi Boiler
PORTION CONTROL	Automatic	Automatic
COFFEE BOILER	2 x 1.5 l	3 x 1.5 l
MAIN BOILER	9 l	9 l
POWER	5.7 kW	6.9 kW
WIDTH (mm)	890	1,300
DEPTH (mm)	386	386
HEIGHT (mm)	355 (tall version: 400)	355 (tall version: 400)
UNDER COUNTER MODULE (mm)	450 x 512 x 740 (width x depth x height)	
BODYWORK	Stainless steel AISI 304	
BOILER MATERIAL	Stainless steel AISI 316L	
THERMAL CONTROL	PID / Pressure transducer	
STEAM WAND	Stainless steel + cool touch	
CUP HEIGHT (mm)	85 (tall version: 130)	
SHOT TIMER	Standard	

Opposite page: the Sotto Banco features an under counter module with a 4.3" touch screen display.

R 9V PRESSURE PROFILING
fully saturated group // multi boiler technology





R 9V PRESSURE PROFILING fully saturated group // multi boiler technology

GROUPS	2	3
TECHNOLOGY	Multi Boiler with Saturated Groups	
PROGRAMMABLE PRESSURE PROFILE SYSTEM	5 preset programs (can be modified) + 1 semi-automatic setting	
PERMANENT MAGNETS VOLUMETRIC PUMPS	Standard	
DIGITAL TOUCH DISPLAY	Standard	
COFFEE BOILER	2 x 1.9 l	3 x 1.9 l
MAIN BOILER	9.0 l	12.0 l
POWER	5.6 kW	7.4 kW
WIDTH (mm)	760	980
DEPTH (mm)	590	590
HEIGHT* (mm)	578	578
BODYWORK**	Stainless steel AISI 304 (black or white by request)	
BOILER MATERIAL	Stainless steel AISI 316L	
THERMAL CONTROL	PID / Pressure transducer	
CUP HEIGHT (mm)	Can be set between 80 mm and 130 mm	
SHOT TIMER	Standard	


*Height includes 43 mm for R 9V style steam wand.

**Side panels, upon request, available also in matt black or matt white.

R 9

fully saturated group // multi boiler technology





R 9 fully saturated group // multi boiler technology

GROUPS	2	3	4
TECHNOLOGY	Multi Boiler	Multi Boiler	Multi Boiler
PORTION CONTROL	Automatic	Automatic	Automatic
COFFEE BOILER	2 x 1.9 l	3 x 1.9 l	4 x 1.9 l
MAIN BOILER	9 l	12 l	12 l
POWER	5.9 kW	7.7 kW	8.9 kW
WIDTH (mm)	760	980	1,200
DEPTH (mm)	590	590	590
HEIGHT (mm)	497	497	497
BODYWORK*	Stainless steel AISI 304 (black or white by request)		
BOILER MATERIAL	Stainless steel AISI 316L		
THERMAL CONTROL	PID / Pressure transducer		
STEAM WANDS	Stainless steel + cool touch		
STEAM VALVES	Lever operated		
CUP HEIGHT (mm)	86		
SHOT TIMER	Standard		

*Side panels, upon request, available also in matt black or matt white.

Opposite page: the R 9 features fully saturated group and PID controlled multi boiler technology inside.

RE Doppia

fully saturated group // dual boiler





RE Doppia fully saturated group // dual boiler

GROUPS	2	3
TECHNOLOGY	Dual Boiler	Dual Boiler
PORTION CONTROL	Automatic	Automatic
COFFEE BOILER	4 l	6.3 l
MAIN BOILER	9 l	12 l
POWER	5 kW	5.8 kW
WIDTH (mm)	848	1,060
DEPTH (mm)	603	603
HEIGHT (mm)	500	500
BODYWORK*	Stainless steel AISI 304	
BOILER MATERIAL	Stainless steel AISI 316L	
THERMAL CONTROL	PID / Pressure transducer	
STEAM WANDS	Stainless steel + cool touch	
CUP HEIGHT (mm)	85 (tall version: 125)	
SHOT TIMER	Standard	

*Side panels, upon request, available also in matt black or matt white.

Opposite page: the RE Doppia machine features a 4.3" touch screen display and fully saturated group technology inside.

RE A TIMER
thermo siphon heat exchanger



RE A TIMER thermo siphon heat exchanger

GROUPS	2	3	4
TECHNOLOGY	Thermosiphon	Thermosiphon	Thermosiphon
PORTION CONTROL	Automatic	Automatic	Automatic
BOILER	14.5 l	23.0 l	28.0 l
POWER*	4.3 kW	5.3 kW	6.3 kW
WIDTH (mm)	760	980	1,200
DEPTH (mm)	585	585	585
HEIGHT (mm)	491	491	491
BODYWORK**	Stainless steel AISI 304 / Black soft touch / White soft touch		
BOILER MATERIAL	Copper		
THERMAL CONTROL	Pressure transducer		
STEAM WANDS	Stainless steel + cool touch		
CUP HEIGHT (mm)	86 (tall version: 120)		
SHOT TIMER	Standard		

*Special power ratings available by request

**Side panels, upon request, available also in matt black or matt white.

BOXER EVO
thermosiphon heat exchanger



2 Group BOXER

BOXER EVO thermosiphon heat exchanger

BOXER Evo includes all the specifications of the standard BOXER, but with additional shot timer and soft-touch buttons that elevate the barista experience even further. Designed to produce espresso without compromise whilst retaining the style and finish not ordinarily found at this level of commercial espresso machines.

GROUPS	2	3
TECHNOLOGY	Thermosiphon	
PORTION CONTROL	Automatic	
BOILER	13.2 l	23 l
POWER*	4.3 kW	5 kW
DIMENSIONS	630W x 490D x 471H mm	850W x 490D x 471H mm
BODYWORK**	Stainless steel AISI 304 / Black soft touch / White soft touch	
BOILER MATERIAL	Copper	
THERMAL CONTROL	Sirai Pressure Stat	
STEAM WANDS	Stainless steel + cool touch	
CUP HEIGHT (mm)	86 (tall version: 120)	
SHOT TIMER	Standard	

*Special power ratings available by request

**Side panels, upon request, available also in matt black or matt white.

BOXER thermosiphon heat exchanger



2 Group BOXER

BOXER thermosiphon heat exchanger

BOXER is a premium compact machine combining the specifications necessary to produce espresso without compromise yet retaining both the style and finish not normally found in the compact machine market. Contemporary design, BOXER performance, Rocket Espresso.

GROUPS	1	2	3
TECHNOLOGY	Thermosiphon	Thermosiphon	Thermosiphon
PORTION CONTROL	Automatic	Automatic	Automatic
BOILER	8.3 l	13.2 l	23 l
POWER*	2.3 kW	4.3 kW	5 kW
DIMENSIONS	480W x 490D x 471H mm	630W x 490D x 471H mm	850W x 490D x 471H mm
BODYWORK**	Stainless steel AISI 304 / Black soft touch / White soft touch		
BOILER MATERIAL	Copper		
THERMAL CONTROL	Sirai Pressure Stat		
STEAM WANDS	Stainless steel + cool touch		
CUP HEIGHT (mm)	86 (tall version: 120)		
SHOT TIMER	By request		

*Special power ratings available by request

**Side panels, upon request, available also in matt black or matt white.

BOXER TANK

semi compact heat exchanger



BOXER TANK semi compact heat exchanger

BOXER Tank is a versatile single group espresso machine that can be connected to a water supply or use the built-in 3 liter water reservoir. A smaller-sized machine ideal for commercial settings where space is at a premium, but with an oversized boiler capable of handling peak service requirements.

GROUPS	1
TECHNOLOGY	Thermosiphon
PORTION CONTROL	Automatic
BOILER	5 l
POWER	1.75 kW
DIMENSIONS	480 x 490 x 471 mm (width x depth x height)
BODYWORK**	Stainless steel AISI 304 / Black soft touch / White soft touch
BOILER MATERIAL	Copper
WATER TANK CAPACITY	3 l
WATER FEED	Hard plumbing & reservoir
CUP HEIGHT (mm)	86 (tall version: 120)

**Side panels, upon request, available also in matt black or matt white.

Macinatore Super Fausto

SUPER FAUSTO, big brother to FAUSTO, is a new addition to the Rocket Espresso grinder range designed for commercial settings, in cafes and restaurants where speed and effortless performance are essential.

Equipped with commercial quality 75mm flat burrs, allowing grinding productivities of 4-5 grams/second.

Exceptionally long durability is guaranteed with the Red Speed coated burrs, grinding up to 2,000 - 2,500 kg of coffee before showing signs of wear.

A newly developed 2.8" digital touch screen with shot counter and three programmable portion buttons allow for quick adjustments and effortless portion control.

Close to silent operation, ideal for noise sensitive environments.

SUPER FAUSTO FEATURES

- Grinding: On Demand
- Portion control: 3 automatic portions
- Manual continuous grinding
- Patented stepless micrometric grind setting system
- Patented anti-clump & electrostaticity system
- Display: 2.8" digital touch screen with shot counter and brightness adjustability
- Bean container: 540 g
- Grinding blades: Plane - 75 mm Red Speed coated burrs
- Grinding capacity: 4 g to 5 g / second
- Motor: 230V / 50 or 115V / 60 500 W - single phase, RPM 1,360
- Bodywork: Die cast aluminium

DIMENSIONS

- 175 x 282 x 480* mm (width x depth x height)
- Weight: 11 kg

*includes bean container



SUPER FAUSTO is available in polished silver or matte black finish.

Spluga Élite

Crafted with precision engineering, the Spluga Élite grinder ensures perfection in every dose, resulting in a smoother cup with an enhanced flavour profile.

Equipped with commercial quality 65 mm flat burrs, Spluga Élite grinds quickly and accurately with an easy to dial in quick-release micrometric grind adjustment system.

Not just about performance, Spluga Élite introduces innovative features and technologies tailored to meet diverse market demands.

Developed in collaboration with V12 Design Studio, Spluga Élite boasts a distinctive style, featuring an advanced 3.5-inch Touch Screen display and an intuitive Human-Machine Interface (HMI) that elevates your coffee experience to new heights of sophistication and convenience.

Available in chrome or matte black finishing options to perfectly compliment your espresso machine.

SPLUGA ÉLITE FEATURES

- Instant productivity: 3,5 – 4,0 g/s
- 65 mm flat burrs
- 3.5" touch screen display with new HMI
- Air intakes in the base for forced suction
- Hands free filter holder support
- Quick-release micrometric adjustment
- IP68 waterproof rating activation button
- Adjustable metal fork with anti-vibration coating
- Coffee hopper capacity: 500g
- Motor power: 600W
1400 rpm (50 Hz)
1680 rpm (60 Hz)

DIMENSIONS

- 194 x 307 x 464* mm
(width x depth x height)
- Weight: 8,9 kg

*includes bean container



Spluga

Spluga is smaller in stature than Spluga Élite, but is equally capable in smaller commercial settings.

Equipped with the same commercial quality 65 mm flat burrs, Spluga grinds quickly and accurately with an easy to dial in quick-release micrometric grind adjustment system.

The innovative features and technologies seen in Spluga Élite are carried over to Spluga, including the 3.5-inch Touch Screen display and intuitive HMI that elevates your coffee experience to new heights of sophistication and convenience.

Available in chrome or matte black finishing options to perfectly compliment your espresso machine.

SPLUGA FEATURES

- Instant productivity: 2,6 - 3,3 g/s
- 65 mm flat burrs
- 3.5" touch screen display with new HMI
- Hands free filter holder support
- Quick-release micrometric adjustment
- IP68 waterproof rating activation button
- Adjustable metal fork with anti-vibration coating
- Coffee hopper capacity: 500g
- Motor power: 480W
1400 rpm (50 Hz)
1680 rpm (60 Hz)

DIMENSIONS

- 194 x 307 x 420* mm
(width x depth x height)
- Weight: 7,5 kg

*includes bean container





ROCKET MILANO S.R.L.

Via Curiel 13
20060 Liscate
Milan, Italy

+39 02 953 513 34

www.rocket-espresso.com